	(Please		Sell			1-2-15		, ago	of	
	hman ted From How	Walley	_,	То	Who	-Ville	W.O Num	ber_ 2 / 5	2825	/1
	Exception Chair	n Marker No.	w.o.	Track	Rall	Switch	Co	des	Status	Lande
Item	From	To	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Repair Y/N
1.	723 +50		自由与工作的国际	. 2	E		M3cl	352	Orth	1//4
2.	603 +00			2	E		M30i	352		
3.	-		344 1934				T .	192		
4.								1		
		*								
5.	8.		100				1	\vdash		
θ.			2/10/2004/06/02							
7.							1	2.7.5.2		
8.			all all as the second second					\vdash	14	
9.										
m	COMMENTS		Carting of the control of the contro					<u> </u>		
	Clogged 61	1 Dry	4 01-6	Chi	6	1 ~				,
	flood	0,00	0 47	-010	1201	cone	C9151	ra Tre	reks t	0
_	TCODE									
-										
2	Ballast	Drawn	/ car	5120	Tra	ck to	Floor	+ War	shing	
- 1	130111156	from	Track	Bee	110	100'	trea_			
-	4-22-31									
\exists										
								(2)		
1	Were Switch	in the area	of Inspecte		8		10	(2)		
We	<i>Were Switch</i> ere all single op	in the area	of Inspecte			\	IO	eratated in e		
We	Were Switch	in the area	of Inspecte			^ itches inside	/O_ o area and op	eratated in e		
We	Were Switch ere all single op	<i>In the area</i> erating mech	of Inspecte	ecting ro	od type sw		/O area and op	eratated in e		
We	<i>Were Switch</i> ere all single op	<i>In the area</i> erating mech	of Inspecte	ecting ro	od type sw	^ itches inside	IO_ area and op	eratated in e		
We	Were Switch ere all single op	<i>In the area</i> erating mech	of Inspecte	ecting ro	od type sw	A	IO area and op	eratated in e		
)	Were Switch ere all single opNO SPECIAL IN	in the area erating mech	of inspectenanism & con	ecting ro	od type sw	itches inside	area and op	eratated in e		
·	Were Switch ere all single op	in the area erating mech	of inspectenanism & con	ecting ro	od type sw	itches inside	area and op	eratated in e		
3	Were Switch ere all single opNO SPECIAL IN	in the area erating mech	of inspectenanism & con	ecting ro	od type sw	itches inside	area and op	eratated in e		
Rea	Were Switch ore all single opeNO SPECIAL IN son for speci	in the area erating mech SPECTIO	of inspectenanism & con	ecting ro	od type sw	itches inside	area and op	2	each positio	on ?
Rea	Were Switch ere all single opNO SPECIAL IN	in the area erating mech SPECTIO	of inspectenanism & con	ecting ro	od type sw	itches inside	area and op	2	each positio	on ?

Item 1.		Marker No.	w.o.	Track	Rall	Switch	Cor	ion	Statue	T Bandle
1.	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Repai Y/N
	\$ 18 4400			. 2	W		R305	321	3/1/1	I Al
2.	178+405	•		2	Вотн		T '301	333	Ý	V
3,										~
4.	7.0									
5.										
θ.			Company of the Park							
7.	148							70 5 5 5		
8.			用可加热过温							
9.			使得到我们被编写的				-			
m	COMMENTS									
#					78.					
								A 22		
We	<i>Were Switch</i> re all single ope	<i>in the area</i>	of Inspected	y Ye	s X	N	Oarea and one	aratatad in a	acidh marithe	
We	re all single ope	<i>in the area</i>	of Inspected	d Ye	s X		O_ area and ope	ratated in e	each positio	on?
We	re all single ope	rating mech	nanism & con	ecting ro	od type sw		O_ area and ope	eratated in e	each positio	on ?
I	re all single ope	orating mech	nanism & con	ecting ro	od type swi	itches inside	area and ope	ratated in e	each positio	on ?
3	re all single ope	orating mech	nanism & con	ecting ro	od type swi	itches inside	area and ope	ratated in e	each positio	on?

	hman <u>19/2</u> ted From (DRING	То	Cami	sew/Per	W.O Numb	er_ 2/	56214	f, "
	Exception Chali	Marker No.	w.o.	Track	Rail	Switch	Cor	les	Status	Repair
Item	From	То	Numbert	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.	80 N		in the second second	· Z	E		R301	349	5	1//4
2.	*	1.00				-	1000	2 / /		
3.										
4.				100						
		5								
5.	.0									
в.			以所以於何地							
7.			NAMES AND DESCRIPTION					1000		
8.			urarahin dan				-		447	
9.							 			
m	COMMENTS		SELTERATIFICATION DISTRIBUTE AT				-			
We	Were Switch re all single ope	erating mech	<i>of Inspecte</i> nanism & con	d Ye	es	N vitches inside	IO_ area and ope	eratated in o	each position	on ?
	SPECIAL IN									
rea	son for speci	ai inspecti	on ?							
Traci	Inspector Sig	nature		¥		¥	Supervisory	Cretificat	ion (farm	r ffei

Name	W. 13249	mt M.	Pollar	d	Date [1-03-10	5	Page	of	8
	(Please	Print)							7.0	27
Watc	hman <u>J. 3</u>	Chiste	1 11 -	_	211	Sphine	W.O Numb	er× / 3	569	70_
usbec	ted From	LUTAR	101112	Ιο (Colu	Shind	3	2		
	Exception Chai	n Marker No.	w.o.	Track	Rail	Switch	Cod	lea	Status	Repair
Item	From	То	Number		E/W	No.	Comp.	Defect	S/Y/R	Y/N
1,				•						
2.	¥11		14000000							
3.							P.			
4.										
5.										
6.								-		
7.								7 - 7 -		
8.			Bridge Street							
9.	- 34	8								
tem	COMMENTS									
	INACK	INSP	ecti	OH!	Comp	leted				
	1/4 00		\ 1/a							
-	None	w det	ects	not	ed)	IM ah	ea.			
\rightarrow	-									
						-				
	(v) ² :							76		
\dashv										
	Were Switch	h in the area	of Inspecte	d Ye	s V		<u> </u>			9
We	re all single op					vitches inside	area and one	eratated in	each positio	n 2"
es	NO	•			.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		aroa ana opt	natated III	each hosine	an t
						-				
	SPECIAL IN	ISPECTIO	N Yes	1	10_ <i>V</i>					
Rea	son for spec	ial Inspecti	on ?					N		
									1	//
Traci	k Inspector Si	gnatur e		,		7	Supervisory	Cretificat	ion Janua	Mur
10)	1042 11	177 -	1						//	/[
VVI	hlta W.	13 Jun	人						V	

80.4	(Please	Print)							of	>
vato	hman	//				// 5	W.O Numb	er_215	4274	1.
spec	ted From Lin	vthicur	7	То	Chomu	rell-Bw	I			
	Franklas Chak	a Madras Na			V					
Item	Exception Chair From	To	W.O.W		Rall	Switch	Cod		Status	Repair
1.	Trom	10	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
2.		,			-					
3.								-		
4.										
				2						
5.	(*)									
ө.										
7.	_ &/									2
8.			计算程序的变形 188							
9.	•									
m	COMMENTS									
		No	vew De	fects	Not	ed in	Area	_		
							,,,			
\neg		***************************************								
-										
-					-					
-										
\rightarrow		-								
\dashv										
\rightarrow										
$\neg \neg$					- F					
\dashv	97							840		
	7									
	g	-1				5			×	
	Were Switch	in the area	of Inspecte	d Ye)S	NC	,			2
We)	ratated in a	ach nositic	ng 2:
We	ere all single op	erating mech)area and ope	ratated in e	each positio	on ?'
Wes_		erating mech)area and ope	ratated in e	each positic	оп ?′
We s	ere all single op	erating mech	nanism & cor	ecting ro	od type sw)area and ope	ratated in e	each positio	on ?
We s	ere all single op	erating mech	nanism & cor	ecting ro	od type sw		Oarea and ope	ratated in e	each positic	on ?
s	ere all single op NOSPECIAL IN	erating mech	nanism & cor	necting ro	od type sw	itches inside a	area and ope	ratated in e	each positio	on ?'
s	ere all single op	erating mech	nanism & cor	necting ro	od type sw	itches inside a	area and ope	ratated in e	each positio	on ?
s	ere all single op NOSPECIAL IN	erating mech	nanism & cor	necting ro	od type sw	itches inside a	area and ope	ratated in e	each positio	on ?
s	SPECIAL IN	erating mech	nanism & cor	necting ro	od type sw	itches inside a	area and ope			
s	ere all single op NOSPECIAL IN	erating mech	nanism & cor	necting ro	od type sw	itches inside a	area and ope			
Rea	SPECIAL IN	erating mech	nanism & cor	necting ro	od type sw	itches inside a	area and ope			
s	SPECIAL IN	erating mech	nanism & cor	necting ro	od type sw	itches inside a	area and ope			
s	SPECIAL IN	erating mech	nanism & cor	necting ro	od type sw	itches inside a	area and ope			
Rea	SPECIAL IN	erating mech	nanism & cor	necting ro	od type sw	itches inside a	area and ope			
s	SPECIAL IN	erating mech	nanism & cor	necting ro	od type sw	itches inside a	area and ope			
s	SPECIAL IN	erating mech	nanism & cor	necting ro	od type sw	itches inside a	area and ope			
s	SPECIAL IN	erating mech	nanism & cor	necting ro	od type sw	itches inside a	area and ope			

\rightarrow	Exception Chali	Marker No.	w.o.		Rail	Switch	Cod	88	Status	Repair
em	From	Та	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
-			4年4月			770				
+	(*)			-		760				
7										ļ
4										
-	8,		Para Para Para Para Para Para Para Para							
+										
	COMMENTS	1 5								
+										
Wei	Were Switch	in the area	of Inspecte	d Ye	sd type sw	No)area and ope	ratated in e	each positic	on ?
	Were Switch re all single ope NO SPECIAL IN	erating mech	anism & cor	ecting ro	sd type sw	/Itches inside	o area and ope	ratated in e		on ?

1	(Pleas	ael L e Print) hister o lospris	- 9	То	Date	ou yard	W.O Numb	er		/ 4
_	Exception Cha	in Marker No	J w.o.	Track	Rail	Suitab	0	<u>a³</u>		T =
Item	From	To	Number	No.	E/W	Switch No.	Comp.		Status	Repair
1,	.,,	 		110,		140.	Comp.	Defect	S/Y/R	Y/N
2.			SEATON OF THE		10					
3.			ALCOHOL HATELY							
4.										
		l-								
5.	•								24	
6.			APIGE TRANSPORT							.,
7.			Base Charles							•
8.										
9.		*								
em	COMMENTS		- (1.			n -6	7 /			
\dashv	~	W	No	New) det	Cet n	oxed			
\dashv				,						
-				TA	1/ .	spectio				
\rightarrow				LKAC	K I AS	CARRETA	al Cola	wheto		
					******	37.171.10	COM	MELEIS		
			1			7	0 05/4	The LE		
4			1			7	0 00/4	The File		
\exists						7.02.10	G CSW	The state of the s		
							- CO /A	- prete		
								755,6	6	
							o Colva	· pcc/e		
West	Were Switc	h in the area			98	N	0			
We	Were Switc				98	N	0		each positio	on ?
We	Were Switc				98	N	0		each positio	on ?
We	Were Switchere all single o	perating mech	nanism & con	ecting ro	es_ od type sv	N	0		each positio	on ?
We	Were Switc	perating mech	nanism & con	ecting ro	98	N	0		each position	on ?
6	Were Switce ere all single o NOSPECIAL II	perating mech	nanism & con	ecting ro	es_ od type sv	N	0		each position	on ?
6	Were Switchere all single o	perating mech	nanism & con	ecting ro	es_ od type sv	N	0		each positio	on ?
8	Were Switce ere all single o NOSPECIAL II	perating mech	nanism & con	ecting ro	es_ od type sv	N	0		each position	on?
s	Were Switce ere all single oNO SPECIAL II son for spec	perating mech	nanism & con	ecting ro	es_ od type sv	Witches Inside	Oarea and ope	eratated in e		on ?
Rea	Were Switce ere all single o NOSPECIAL II	perating mech	nanism & con	ecting ro	es_ od type sv	Witches Inside	0	eratated in e		on?
Rea	Were Switce ere all single oNO SPECIAL II son for spec	perating mech	nanism & con	ecting ro	es_ od type sv	Witches Inside	Oarea and ope	eratated in e		on?
Rea	Were Switce ere all single oNO SPECIAL II son for spec	perating mech	nanism & con	ecting ro	es_ od type sv	Witches Inside	Oarea and ope	eratated in e		on?
Rea	Were Switce ere all single oNO SPECIAL II son for spec	perating mech	nanism & con	ecting ro	es_ od type sv	Witches Inside	Oarea and ope	eratated in e		on?
Rea	Were Switce ere all single oNO SPECIAL II son for spec	perating mech	nanism & con	ecting ro	es_ od type sv	Witches Inside	Oarea and ope	eratated in e		on?
s	Were Switce ere all single oNO SPECIAL II son for spec	perating mech	nanism & con	ecting ro	es_ od type sv	Witches Inside	Oarea and ope	eratated in e		on?
s	Were Switce ere all single oNO SPECIAL II son for spec	perating mech	nanism & con	ecting ro	es_ od type sv	Witches Inside	Oarea and ope	eratated in e		on?
s	Were Switce ere all single oNO SPECIAL II son for spec	perating mech	nanism & con	ecting ro	es_ od type sv	Witches Inside	Oarea and ope	eratated in e		on?
s	Were Switce ere all single oNO SPECIAL II son for spec	perating mech	nanism & con	ecting ro	es_ od type sv	Witches Inside	Oarea and ope	eratated in e		on?

	Exception Chai	n Marker No.	w.o.	To	Rall	Switch	Coo	doe I	Status	Lawre
tem	From	То	Number		E/W	No.	Comp.	Defect	Status	Repair
1.			de la	•		110.	Comp.	Delect	S/Y/R	Y/N
2.		•	CARDON AND T		25			-		
3,		in the								
1.										
_		•								
5.	•									-
<u>.</u>										
	9								778	
3.			的可能的傳統的對							
).							(4			
n	COMMENTS									
_						A	1 71			
\dashv	10		N	a ne	u d	exects	noted			
	R		N	o ne	en de	exect c	noted			
	R				*	4		,		
	R				*	4		/ 0		
	R				*	4	somplay	6		
	R				*	4		to		
	R				*	4		6		
	R				*	4		lo .		
	R				*	4		6		
	R				*	4		6		
	R				*	4		lo .		
	R				*	4		<i>(</i> 0		
		ı in the area	Tr	uck.	wspec	liam (tomplas	ζο		
We	Were Switch	in the area	of Inspecte	nck.	wspec	Lida (is mplay			nn 2
We	Were Switch	n in the area	of Inspecte	nck.	wspec	Lida (is mplay			on ?
We	Were Switch	n In the area erating mech	of Inspecte	nck.	wspec	Lida (is mplay			on ?
	Were Switch re all single opNO	erating mech	of Inspecte	nd Ye	s	Lida (is mplay			on ?
	Were Switch	erating mech	of Inspecte	nd Ye	s	Lida (is mplay			on ?
	Were Switch re all single opNO SPECIAL IN	erating mech	of Inspecte nanism & con	nd Ye	s	Lida (is mplay			on ?
	Were Switch re all single opNO	erating mech	of Inspecte nanism & con	nd Ye	s	Lida (is mplay			on ?
	Were Switch re all single opNO SPECIAL IN	erating mech	of Inspecte nanism & con	nd Ye	s	Lida (is mplay			on?
Reas	Were Switch re all single opNO SPECIAL IN son for speci	erating mech	of Inspecte nanism & con	nd Ye	s	/itches Inside	o mpl or	eratated in e	each position	
Reas	Were Switch re all single opNO SPECIAL IN	erating mech	of Inspecte nanism & con	nd Ye	s	/itches Inside	o mpl or	eratated in e	each position	
Reas	Were Switch re all single opNO SPECIAL IN son for speci	erating mech	of Inspecte nanism & con	nd Ye	s	/itches Inside	is mplay	eratated in e	each position	
Rea:	Were Switch re all single opNO SPECIAL IN son for speci	erating mech	of Inspecte nanism & con	nd Ye	s	/itches Inside	o mpl or	eratated in e	each position	
Reas	Were Switch re all single opNO SPECIAL IN son for speci	erating mech	of Inspecte nanism & con	nd Ye	s	/itches Inside	o mpl or	eratated in e	each position	
Reas	Were Switch re all single opNO SPECIAL IN son for speci	erating mech	of Inspecte nanism & con	nd Ye	s	/itches Inside	o mpl or	eratated in e	each position	

apect	ed From Luda	er Villa	•	То	Colds	pring	W.O Numbe	er_2/5	2825	/ ·
	Exception Chain	Marker No.	w.ov	Track	Rall	Switch	Cod	80	Status	Repair
Item	From		Number		E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.			在特別的							1
2.						11		a 1		
3,			100							
4.			ANDREWS AND A STREET							
5.			LADAROADA BARRESTORIA Articologia articologia	<u> </u>						
6.										
7.	7.									"
8.										
9.										
m	COMMENTS					oted in				
_										
9	Were Switch re all single opeNO SPECIAL INS	erating mech	anlsm & con	ecting ro	NO		o area and ope	ratated in e	each positio	on ?
s	re all single ope	Prating mech	anlsm & con	ecting ro	od type sw	vitches inside	Supervisory		1	

lata	(Please hman M R	BUREA						e*9 .	<i>c</i>	. 4
				To	for a		W.O Numb	er 2145	3351	/
apac	מוט וווטוידעט	THICUM	-	То	Bui		-	SSIT		
	Exception Cha	in Marker No.	w.o.	Track	Rall	Switch	Co	dae	Status	Danale
tem	From		Number		E/W	No.	Comp.	Defect	S/Y/R	Repair Y/N
1.	24 BW1			')	Вотн	24	5 305	322	y	1/19
2.					· ×		3.303	4 64		-
3.			Madelly Market							
4.			Selection of the select					 		
										
5.			34 L.S.							
3.			17,600,000							
<i>'</i> .	36		Electrical							 "
3.										
).	7									
n	COMMENTS		and the second second							
	The state of the s	T LOOSE (1)	/							
\dashv	TRUE BOL	T LEOSE ()							
\downarrow								70 V 10 PM PM		
									- C	
								e:		
								240		,
	Were Switch	h in the area	of Inspecte	d Ye			10	366		
We	Were Switc	<i>h in the area</i> perating mech	of Inspecte	d Ye		^ witches inside	/O_ ₃ area and op	eratated in o	each positio	on ?
We	Were Switch	<i>h in the area</i> perating mech	o f Inspecte nanism & cor	d Ye		^ witches inside	/O ₃ area and op	eratated in o	each positio	on ?
We	Were Switc ore all single op NO_^	perating mech	nanism & cor	necting ro	od type s	witches inside	/O_ area and op	eratated in o	each positio	on ?
We	Were Switc	perating mech	nanism & cor	necting ro	od type s	witches inside	VOa and op	eratated in o	each positio	on ?
	Were Switch ore all single op NO_X SPECIAL IN	perating mech	nanism & cor	necting ro	od type s	witches inside	area and op	eratated in o	each positio	on ?
	Were Switc ore all single op NO_^	perating mech	nanism & cor	necting ro	od type s	witches inside	area and op	eratated in o	each position	on ?
	Were Switch ore all single op NO_X SPECIAL IN	perating mech	nanism & cor	necting ro	od type s	witches inside	area and op	eratated in o	each positio	on ?
<u> </u>	Were Switch ore all single op NO_X SPECIAL IN	perating mech	nanism & cor	necting ro	od type s	witches inside	area and op			
Rea	Were Switch ore all single opNOX SPECIAL IN son for spec	perating mech	nanism & cor	necting re	od type s	witches inside	area and op			
Rea	Were Switch ore all single on NO ^ SPECIAL IN son for spec	perating mech NSPECTION Clai Inspecti	nanism & cor	necting re	od type s	witches inside	area and op			
Rea	Were Switch ore all single opNOX SPECIAL IN son for spec	perating mech NSPECTION Clai Inspecti	nanism & cor	necting re	od type s	witches inside	area and op			
Rea	Were Switch ore all single on NO ^ SPECIAL IN son for spec	perating mech NSPECTION Clai Inspecti	nanism & cor	necting re	od type s	witches inside	area and op			
Rea	Were Switch ore all single on NO ^ SPECIAL IN son for spec	perating mech NSPECTION Clai Inspecti	nanism & cor	necting re	od type s	witches inside	area and op			
Rea	Were Switch ore all single on NO ^ SPECIAL IN son for spec	perating mech NSPECTION Clai Inspecti	nanism & cor	necting re	od type s	witches inside	area and op			
Rea	Were Switch ore all single on NO ^ SPECIAL IN son for spec	perating mech NSPECTION Clai Inspecti	nanism & cor	necting re	od type s	witches inside	area and op			

	(Please	15(EP Print)			Date	111615		Page -1	v of z	i) - Jugane
Watch	hman <u>M</u> R	CLARD		T.	Con	ra/laz -	W.O Numb	er 214	5351.	<u>/ </u>
ahacı	red From Cit	THICUH	•	То	CROM	WELL	-			
	Exception Chair	Marker No.	w.o.h.	Track	Rall	Switch	Cod		Status	Repair
Item	From	То	Number	No.	E/W	No.	Comp.	Defect	S/Y/R	Y/N
1.				•		F 19				
2.			TO BATCH MANAGEMENT AND THE TOTAL OF THE TOT		- 10	2				
3.										
4.										
5.	- · · · · · · · · · · · · · · · · · · ·		Maria de la Carlo						-	
в. В.			1.1166							
7.										.9
8.			n), a kát kel vitalnási 1875-a sakát kel vitalnási							
9.	201	· ·								
em	COMMENTS		MC WILLIAM O VOLUME TO THE		levi					
		DEFECTS	NOTED IN	AREA						
				7.17.42	2					
							* * *			
	(90)									
_										
\vdash										
-										
-										
	290)#		
1	Were Switch	in the area	of Inspected	d Ye	9 8_ ×		0			
98		erating mech	nanism & con	ecting re	od type s	witches inside	Oarea and ope	ratated in e	each positio	оп ?
9 5	Were Switch re all single opNOx SPECIAL IN	erating mech	nanism & con	ecting re	od type s	witches inside	Oarea and ope	eratated in e	each positio	on ?
Reas	Were Switch re all single opNOx SPECIAL IN son for speci	erating mech SPECTIO	nanism & con	ecting re	od type s	witches inside	area and ope		0	
Reas	Were Switch re all single op NOx SPECIAL IN son for speci	erating mech SPECTIOI al Inspecti	nanism & con	ecting re	od type s	witches inside	oarea and ope		0	
Reas	Were Switch re all single opNOx SPECIAL IN son for speci	erating mech SPECTIOI al Inspecti	nanism & con	ecting re	NOX	witches inside	area and ope		0	
Reas	Were Switch re all single op NOx SPECIAL IN son for speci	erating mech SPECTIOI al Inspecti	nanism & con	ecting re	NOX	witches inside	area and ope		0	
Reas	Were Switch re all single op NOx SPECIAL IN son for speci	erating mech SPECTIOI al Inspecti	nanism & con	ecting re	NOX	witches inside	area and ope		0	
Reas	Were Switch re all single op NOx SPECIAL IN son for speci	erating mech SPECTIOI al Inspecti	nanism & con	ecting re	NOX	witches inside	area and ope		0	
Reas	Were Switch re all single op NOx SPECIAL IN son for speci	erating mech SPECTIOI al Inspecti	nanism & con	ecting re	NOX	witches inside	area and ope		0	
Reas	Were Switch re all single op NOx SPECIAL IN son for speci	erating mech SPECTIOI al Inspecti	nanism & con	ecting re	NOX	witches inside	area and ope		0	
Reas	Were Switch re all single op NOx SPECIAL IN son for speci	erating mech SPECTIOI al Inspecti	nanism & con	ecting re	NOX	witches inside	area and ope		0	
Reas	Were Switch re all single op NOx SPECIAL IN son for speci	erating mech SPECTIOI al Inspecti	nanism & con	ecting re	NOX	witches inside	area and ope		0	

	A. Kabe to (Please F	rint)							of	
	hman				- 2	thica	W.O Numb	er <u>2/6</u>	63814	/*
eci	ted From Con	rden	•	То	Lin	thick	m		•	-
	Exception Chain	Marker No	w.o.lil	Trook	l Ball I	Christole				T
m	From	To	Number		Rall E/W	Switch No.	Comp.	Defect	Status S/Y/R	Repair
	12/1005		in the House of	. 5	E.W	7101	R301	329	5	Y/N
	S•G		CALIFORNIA (CAR							
4										
4				8						
+										
+										
+									740	-
+										
	COMMENTS		ling bar sa pendibati	-						
Т		1 0	17 05	S	4 Laur	e Ea	-1.11	1 1		
+	15"	1000	N 22	1 14	ea		15744	25t r	41 (5	
†	, 8	- 0-0	10 22	a	e a					
†										
Ť										
T										
Т										
1										
1										
-		X.								
	1	×						;(* 5		
	W.	X						(e.		
	Were Switch I				· · · · · · · · · · · · · · · · · · ·			10.0		
Ve	re all single oper							eratated in e	each positio	on ?
We	Were Switch I							eratated in e	each positio	on ?
We	re all single oper	rating meci	nanism & coi	necting re	od type sw			eratated in e	each positio	on ?
We	re all single oper	rating meci	nanism & coi	necting re	od type sw			eratated in e	each positio	on ?
_	re all single oper	rating med	nanism & cor	necting re	od type sw	ditches inside		eratated in e	each positio	on ?
_	re all single oper	rating med	nanism & cor	necting re	od type sw	ditches inside		eratated in e	each positio	on ?
_	re all single oper	rating med	nanism & cor	necting re	od type sw	ltches inside	area and ope			· /
ea	re all single operNO SPECIAL INS son for specia	rating mecl	nanism & cor	necting re	od type sw	ltches inside	area and ope			· /
ea	SPECIAL INS	rating mechanics of the second section in the sect	nanism & cor	necting re	od type sw	ltches inside	area and ope			· /
ea	SPECIAL INS	rating mechanics of the second section in the sect	nanism & cor	necting re	od type sw	ltches inside	area and ope			· /
ea	re all single operNO SPECIAL INS son for specia	rating mechanics of the second section in the sect	nanism & cor	necting re	od type sw	ltches inside				· /
ea	SPECIAL INS	rating mechanics of the second section in the sect	nanism & cor	necting re	od type sw	ltches inside	area and ope			· /
ea	SPECIAL INS	rating mechanics of the second section in the sect	nanism & cor	necting re	od type sw	ltches inside	area and ope			· /
ea	SPECIAL INS	rating mechanics of the second section in the sect	nanism & cor	necting re	od type sw	ltches inside	area and ope			· /
ea	SPECIAL INS	rating mechanics of the second section in the sect	nanism & cor	necting re	od type sw	ltches inside	area and ope			· /
a	SPECIAL INS	rating mechanics of the second section in the sect	nanism & cor	necting re	od type sw	ltches inside	area and ope			· /
a	SPECIAL INS	rating mechanics of the second section in the sect	nanism & cor	necting re	od type sw	ltches inside	area and ope			